

# Ve8 Immune Stimulating & Vitamin D Digestive Programme

| On Sterile Seed   | Day   | In Drinking Water                           |
|---|-------|---|
| Turbobooster<br>E-Powder<br>F-Vite<br>Ve8 Powder <sup>5</sup> | Day 1 | KD Powder <sup>1</sup>                      |
| Turbobooster<br>E-Powder<br>F-Vite<br>Ve8 Powder <sup>5</sup> | Day 2 | Hi Cal-D<br>Ioford<br>Dufoplus <sup>2</sup> |
| Turbobooster<br>E-Powder<br>F-Vite <sup>5</sup>               | Day 3 | Quik Gel<br>Hi Cal-D <sup>3</sup>           |
| Turbobooster<br>E-Powder<br>F-Vite <sup>5</sup>               | Day 4 | Fresh water                                 |
| Turbobooster<br>E-Powder<br>F-Vite <sup>5</sup>               | Day 5 | KD Powder <sup>1</sup>                      |
| Turbobooster<br>E-Powder<br>F-Vite<br>Ve8 Powder <sup>5</sup> | Day 6 | Quik Gel<br>Hi Cal-D <sup>3</sup>           |
| Turbobooster<br>E-Powder<br>F-Vite<br>Ve8 Powder <sup>5</sup> | Day 7 | Fresh water                                 |

<sup>1</sup> Mix 1gm KD Powder (white spoon) into 1 litre of drinking water. Fill the water vessel and use the remainder to clean the cage.

<sup>2</sup> Mix 2ml Hi Cal-D, 10 drops Ioford and 5 drops Dufoplus thoroughly into 100ml of drinking water.

<sup>3</sup> Mix 1 drop Quik Gel and 2ml Hi Cal-D thoroughly into 100ml of drinking water.

<sup>5</sup> To 100gm of sterile seed add 6 drops of Turbobooster and mix thoroughly. Then, add 1gm (white spoon) each E-Powder and F-Vite and 0.5gm (1/2 white spoon) Ve8 Powder and mix again so that these powders stick to the Turbobooster oil impregnated seed

**\* Days 6-7 are optional Hi Cal-D days. For birds housed indoors with no access to direct sunlight, Hi Cal-D should be given on these days. For birds with limited access to direct sunlight (i.e. on weekends), fresh water should be given.**