

RACE PROGRAMME 3 OPTION 2

Mixed into Food	Week Day	In Drinking Water
-----------------	----------	-------------------

Turbobooster E-Powder Bloomford Fvite & Grit	Saturday	Quik Gel drink for race & toss birds	Smaller, more dry Sunday morning droppings tending to brown indicates a positive response and need to start Moxi-T & Megamix on Monday.
Turbobooster E-Powder Ve8 Powder Bloomford		Moxi-T Megamix	
Turbobooster E-Powder Ve8 Powder Bloomford	Monday	AM - Moxi-T Megamix	Larger, softer and any green droppings is a negative response to Moxi-T. Although bloom may be present these negative changes mean it is time to give KD.
Turbobooster E-Powder Ve8 Powder Bloomford		PM - KD	
F-vite & picking stone in dish	Tuesday	Medication option S76, GT wormer or Carlox	Smaller, dry Monday morning droppings following Moxi-T treatment indicates this programme should be repeated next week. Give KD Monday morning when droppings are larger or green.
PM - Remove F-vite, grit & picking stone		Dufoplus Ioford Megamix	Smaller, more dry Tuesday morning after KD means a health issue remains.
E-Powder in a dish	Thursday	Ioford Megamix	Green droppings after KD treatment indicates it is time to stop this programme and change to another.
E-Powder in a dish		Quik Gel	

Tuesday Treatments

KD is given Tuesday morning following a negative dropping response to Moxi-T Megamix. Otherwise S76, Carlox & GTwormer are given as a weekly rotation on Tuesday morning and KD is given every Tuesday afternoon.

S76 (5mls per 2 litres) is given one week, followed by GT wormer (5mls per 2 litres) the next. S76 or GT wormer (5mls per 4 litres) is added to the weekly bath water on alternate weeks.

Carlox is given once a month the Tuesday after GTwormer treatment. When coccidiosis is diagnosed, an initial dose of Carlox (2mls per litre) is given for 2 days. Carlox is then repeated each Tuesday morning for 3 additional weeks.

S76 & GTwormer are not given at this time but restart at the conclusion of this treatment.